

SHAKE WELL BEFORE USE  
DO NOT FREEZE



8-32-5

### GUARANTEED ANALYSIS

Total Nitrogen (N).....	8.00%
8.0% Ammoniacal Nitrogen	
Available Phosphate (P <sub>2</sub> O <sub>5</sub> ).....	32.00%
Soluble Potash (K <sub>2</sub> O).....	5.00%
Zinc (Zn).....	0.05%

Maximum chlorine not more than 1%

Derived from Ammonium Polyphosphate, Potassium Tripolyphosphate,  
Phosphoric Acid, Zinc Sulfate

### GENERAL INFORMATION

**CHARGE** is designed to be used primarily for foliar application. It may also be used with starter fertilizer or transplant water. **CHARGE** is intended to be a supplement to a regular fertilizer program. Rates on this label are for foliar application. May be applied by ground or air. Utilize a jar test if compatibility is questionable.

### DIRECTIONS FOR USE + APPLICATION RATE

#### FIELD CROPS

**Alfalfa (Hay):** 2-4 qt (64-128 oz) at pre-bloom and several more times at three-week intervals.

**Wheat, Barley, Small Grains:** 2-3 qts (64-96 oz) per acre when plant is 10" and again prior to heading out.

**Cotton:** 2 qt (64 oz) per acre at first true leaf. Repeat at first square and again at two-week intervals.

**Rice:** 2-3 qt (64-96 oz) per acre at bud stage and 1-2 weeks prior to bloom. Repeat again two weeks after bloom.

**Tobacco:** 1-2 qt (32-64 oz) per acre in transplant water. 1-3 qt (32-96 oz) after transplant. Repeat at 2-3 week intervals.

#### VEGETABLE CROPS

**Artichokes, Beans, Peas, Melons, Squash, Cucumbers, Tomatoes, Peppers:** 2-4 qt (64-128 oz) per acre at bud stage, prior to bloom, and an additional application every two weeks.

**Cole Crops (Transplant & Direct Seed):** 1-2 qt (32-64 oz) per acre at 4-6 true leaf stage, 2-3 qt (64-96 oz) at bud stage, and 2-3 qt (64-96 oz) at two-week intervals.

**Corn:** 2-3 qt (64-96 oz) per acre when plant is at V2-V5 and again prior to tasseling.

**Lettuce, Spinach, Celery:** 2-3 qt (64-96 oz) per acre after thinning spinach and lettuce. Apply two weeks after celery transplant. Apply at two-week intervals.

**Potatoes, Yams:** 2-3 qt (64-96 oz) per acre when plants are 6". Apply two more times at three-week intervals.

**Sweet Potatoes:** 2-6 qt (64-192 oz) per acre in transplant water. For foliar application, use 1-3 qt (32-96 oz) per acre 10 days after transplanting.

**Soybeans:** 2-3 qt (64-96 oz) per acre at bud stage and repeat again at pod-fill.

**Other Vegetable Crops & Root Crops:** 2-3 qt (64-96 oz) per acre every two weeks after plants are established.

#### FRUIT + NUT CROPS

**Apricots, Cherries, Almonds, Plums, Peaches, Prunes, Nectarines:** 2-4 qt (64-128 oz) per acre at pre-bloom. Repeat rate after petal fall. A third application may be required.

**Citrus:** 4-6 qt (128-192 oz) per acre at early bud stage, prior to bloom, and again at early fruit set and fruit size. Do not combine with oils.

**Boysenberries, Blackberries, Cranberries, Blueberries, Raspberries:** 2-3 qt (64-96 oz) per acre at pre-bloom and at two-week intervals.

**Grapes:** 1-2 qt (32-64 oz) per acre when canes reach 15"-20". Apply another 2-3 qt (64-96 oz) at pre-bloom buckshot stage and at 4-6 weeks prior to harvest.

**Pecans, Pistachios, Walnuts:** 3-4 qt (96-128 oz) per acre at pre-bloom, and again every 4-6 weeks until 30 days prior to harvest.

**Strawberries:** 2-3 qt (32-64 oz) per acre at two-week intervals beginning at pre-bloom and continuing throughout the season.

#### TREE + VINE

**Apples & Pears:** 2-4 qt (64-128 oz) per acre at pre-bloom, petal fall, and once again 3-4 weeks later. Do not apply to Metrose Apples.

#### TURF

2-8 oz per 100 ft<sup>2</sup> in adequate water for sufficient coverage.

### STORAGE AND DISPOSAL

Store in cool, dry place in original container. Keep container tightly closed. Do not reuse empty container. Triple rinse then offer for recycling or for disposal in a sanitary landfill, or by other means in accordance with local, state, and federal regulations.

### PRECAUTIONARY STATEMENTS

Avoid contact with eyes, skin, and breathing vapors or spray mist. Wear protective gloves. Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling. Use adequate ventilation when handling. Keep away from open flame. In case of fire: Dry chemical fire extinguisher to extinguish and call CHEMTREC (800) 424-9300. **First Aid:** If exposed call CHEMTREC or refer to the SDS First Aid section. **If on skin:** Take off contaminated clothes immediately. Rinse skin with water.

### NOTICE

Manufacturer warrants that **CHARGE** conforms to its chemical description and will perform as stated on the label when used according to directions and under normal conditions. Neither this warranty or any other warranty of merchantability, expressed or implied, extends to the use of this product contrary to label directions. Buyer assumes all risk if **CHARGE** is used in any manner or under any condition other than those specifically set forth on the label.

**WARNING**  
KEEP OUT OF REACH  
OF CHILDREN

**NET CONTENT**  1 gal  
 2.5 gal  
 2 x 2.5 gal  
 Bulk \_\_\_\_\_ gal  
**NET WEIGHT** 11.18 lb/gal @ 68°F

MANUFACTURED FOR

AgXplore International, LLC  
7035 State Hwy D  
P.O. Box 638  
Parma, MO 63870  
(573) 357-4506  
agxplore.com

©2019 AgXplore