

GENERAL INFORMATION

GroPak is a proprietary blend of complex nutrients and is specifically designed as a seed treatment.

DIRECTIONS FOR USE

Always follow directions and precautionary statements on pesticide labels. Application should be made in such a way to ensure that all seeds are completely coated. An effective procedure is to fill the hopper box half full of seed and apply one half of the recommended rate of **GroPak** seed treatment and stir completely. Fill the seed hopper with the remainder of seed and spread the balance of the recommended dosage of **GroPak** over the remaining seed. Stir the balance completely. **GroPak** can be mixed with most fungicides and pesticides.

RATES - Applied to seed in hopper box.

Beans (green & dry), Brassica crops, Corn, Cotton, Milo, Grass Seed, Legumes (clover & alfalfa), Sugar Beets, Vegetable and Cole crops: 3-6 oz per unit of seed

Cereal Grains: 3-8 oz per unit of seed

Legumes (vetch, peas): 4-8 oz per unit of seed

Potatoes: 8-16 oz per unit of seed

Rice: 6 oz per unit of seed, applied to seed in drill seed box

Soybeans: 4 oz per unit of seed

STORAGE AND DISPOSAL

Store in a cool, dry place in original container. Keep container tightly closed. Do not reuse empty container. Triple rinse then offer for recycling or for disposal in a sanitary landfill, or by other means in accordance with local, state, and federal regulations.

PRECAUTIONARY STATEMENTS

Avoid contact with eyes and skin. Avoid breathing vapors or spray mist. Wear eye/face protection and protective gloves. Wear safety glasses with side shields. Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling. Use adequate ventilation. Keep away from open flame. In case of fire, use dry chemical fire extinguisher to extinguish. **FOR A SPILL, LEAK, EXPOSURE, OR FIRE INVOLVING THIS PRODUCT, CALL CHEMTREC (800) 424-9300 (24 HRS)**

0-0-0

GRO PAK

GUARANTEED ANALYSIS

Sulfur (S)	2.000%
0.0% Free Sulfur (S)	
2.0% Combined Sulfur (S)	
Manganese (Mn)	2.000%
2.0% Soluble Manganese (Mn)	
Molybdenum (Mo)	0.005%
Zinc (Zn)	2.000%
Derived from Manganese Sulfate, Sodium Molybdate and Zinc Sulfate	

MANUFACTURED FOR



AgXplore International, LLC
7035 State Hwy D
P.O. Box 638
Parma, MO 63870
(573) 357-4506
agxplore.com



WARNING
KEEP OUT OF REACH
OF CHILDREN

NET WEIGHT 12 lbs @ 68°F

FIRST AID

If in eyes: Hold eye open and rinse gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing. **If on skin:** Take off contaminated clothing immediately. Rinse skin with water for 15-20 minutes. If symptoms persist, contact a poison control center or doctor for treatment advice.

CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY

Manufacturer warrants that this product conforms to its chemical description and will perform as stated on the label when used according to directions and under normal conditions. Neither this warranty nor any other warranty of merchantability, expressed or implied, extends to the use of this product contrary to label directions. No employee or agent of AgXplore International, LLC, the manufacturer of this product, nor the seller, is authorized to vary the Conditions of Sale and Limitation of Warranty and Liability. Buyer assumes all risk if this product is used in any manner or under any condition other than those specifically set forth on the label. To the extent permitted by law, the Buyer's or User's exclusive remedy for any injury, loss, or damage resulting from handling or use of this product shall be limited to one of the following, at the discretion of AgXplore International, LLC: Direct damages not exceeding the purchase price of the product or replacement of the product. AgXplore International, LLC and the seller of this product shall not be liable for consequential, special, or incidental damages or losses, nor damages in the nature of a penalty.

WARNING: Contains molybdenum. Use of molybdenum may result in forage crops containing levels of molybdenum which are toxic to ruminant animals. Use in accordance with recommendations of a qualified individual or institution, such as, but not limited to, a certified crop advisor, agronomist, university crop extension publication, or apply according to recommendations in your approved nutrient management plan. Do not exceed application rates that could be harmful based on soil type, crop sensitivity and fertilizer placement.