

**SHAKE WELL BEFORE USE  
DO NOT FREEZE**

**CHARGE**

**8-32-5**

**GUARANTEED ANALYSIS**

|   |        |
|---|--------|
| Total Nitrogen (N) .....  | 8.00%  |
| 8.0% Ammoniacal Nitrogen  |        |
| Available Phosphate (P <sub>2</sub> O <sub>5</sub> ) .....  | 32.00% |
| Soluble Potash (K <sub>2</sub> O) .....   | 5.00%  |
| Zinc (Zn) .....   | 0.05%  |
| Maximum chlorine not more than 1%   |        |
| Derived from Ammonium Polyphosphate, Potassium Tripolyphosphate,<br>Phosphoric Acid, Zinc Sulfate |        |
| F3028   |        |

**GENERAL INFORMATION**

**CHARGE** is designed to be used primarily for foliar application. It may also be used with starter fertilizer or transplant water. **CHARGE** is intended to be a supplement to a regular fertilizer program. Rates on this label are for foliar application. May be applied by ground or air. Utilize a jar test if compatibility is questionable.

**DIRECTIONS FOR USE + APPLICATION RATE**

**FIELD CROPS**

**Alfalfa (Hay):** 2-4 qt (64-128 oz or 2-4 L) at pre-bloom and several more times at 3-week intervals.  
**Wheat, Barley, Small Grains:** 2-3 qts (64-96 oz or 2-3 L) per acre when plant is 10" (or 25 cm) and again prior to heading out.  
**Cotton:** 2 qt (64 oz or 2 L) per acre at first true leaf. Repeat at first square and again at 2-week intervals.  
**Rice:** 2-3 qt (64-96 oz or 2-3 L) per acre at boot stage and 1-2 weeks prior to bloom. Repeat again 2 weeks after bloom.  
**Tobacco:** 1-2 qt (32-64 oz or 1-2 L) per acre in transplant water. 1-3 qt (32-96 oz or 1-3 L) after transplant. Repeat at 2-3 week intervals.

**VEGETABLE CROPS**

**Artichokes, Beans, Peas, Melons, Squash, Cucumbers, Tomatoes, Peppers:** 2-4 qt (64-128 oz or 2-4 L) per acre at bud stage, prior to bloom, and an additional application every 2 weeks.  
**Cole Crops (Transplant & Direct Seed):** 1-2 qt (32-64 oz or 1-2 L) per acre at 4-6 true leaf stage, 2-3 qt (64-96 oz or 2-3 L) at

bud stage, and 2-3 qt (64-96 oz or 2-3 L) at 2-week intervals.  
**Corn:** 2-3 qt (64-96 oz or 2-3 L) per acre when plant is at V2-V5 and again prior to tasseling.  
**Lettuce, Spinach, Celery:** 2-3 qt (64-96 oz or 2-3 L) per acre after thinning spinach and lettuce. Apply 2 weeks after celery transplant. Apply at 2-week intervals.  
**Potatoes, Yams:** 2-3 qt (64-96 oz or 2-3 L) per acre when plants are 6" (or 15 cm). Apply 2 more times at 3-week intervals.  
**Sweet Potatoes:** 2-6 qt (64-192 oz or 2-6 L) per acre in transplant water. For foliar application, use 1-3 qt (32-96 oz or 1-3 L) per acre 10 days after transplanting.  
**Soybeans:** 2-3 qt (64-96 oz or 2-3 L) per acre at bud stage and repeat again at pod-fill.  
**Other Vegetable Crops & Root Crops:** 2-3 qt (64-96 oz or 2-3 L) per acre every 2 weeks after plants are established.

**FRUIT + NUT CROPS**

**Apricots, Cherries, Almonds, Plums, Peaches, Prunes, Nectarines:** 2-4 qt (64-128 oz or 2-4 L) per acre at pre-bloom. Repeat rate after petal fall. A third application may be required.  
**Citrus:** 4-6 qt (128-192 oz or 4-6 L) per acre at early bud stage, prior to bloom, and again at early fruit set and fruit size. Do not combine with oils.  
**Boysenberries, Blackberries, Cranberries, Blueberries, Raspberries:** 2-3 qt (64-96 oz or 2-3 L) per acre at pre-bloom and at 2-week intervals.  
**Grapes:** 1-2 qt (32-64 oz or 1-2 L) per acre when canes reach 15"-20" (or 37.5-50 cm). Apply another 2-3 qt (64-96 oz or 2-3 L) at pre-bloom buckshot stage and at 4-6 weeks prior to harvest.  
**Pecans, Pistachios, Walnuts:** 3-4 qt (96-128 oz or 3-4 L) per acre at pre-bloom, and again every 4-6 weeks until 30 days prior to harvest.  
**Strawberries:** 2-3 qt (64-96 oz or 2-3 L) per acre at 2-week intervals beginning at pre-bloom and continuing throughout the season.

**TREE + VINE**

**Apples & Pears:** 2-4 qt (64-128 oz or 2-4 L) per acre at pre-bloom, petal fall, and once again 3-4 weeks later. Do not apply to Melrose Apples.

MANUFACTURED FOR



©G0821 AgXplore

AgXplore International, LLC  
7035 State Hwy D  
P.O. Box 438  
Parma, MO 63870  
(573) 357-4506  
agxplore.com



**WARNING**  
KEEP OUT OF REACH  
OF CHILDREN

**NET CONTENT**  1 gal (3.79 L)  
 2.5 gal (9.46 L)  
 2 x 2.5 gal (2 x 9.46 L)  
 Bulk \_\_\_\_\_ gal or L  
**NET WEIGHT** 11.18 lb/gal (1.33 Kg/L)  
@68°F [20°C]

# CHARGE

## TURF

2-8 oz per 100 ft<sup>2</sup> (or 6.5-13 L per 100 m<sup>2</sup>) in adequate water for sufficient coverage.

### STORAGE AND DISPOSAL

Store in a cool, dry place in original container. DO NOT FREEZE. Keep container tightly closed. Do not reuse empty container. Triple rinse then offer for recycling or for disposal in a sanitary landfill, or by other means in accordance with local, state, and federal regulations.

### PRECAUTIONARY STATEMENTS

Avoid contact with eyes and skin. Avoid breathing vapors or spray mist. Wear eye/face protection and protective gloves. Do not eat, drink, or smoke when using this product. Wash hands thoroughly after handling. Use adequate ventilation. Keep away from open flame. In case of fire, use dry chemical fire extinguisher to extinguish. FOR A SPILL, LEAK, EXPOSURE, OR FIRE INVOLVING THIS PRODUCT, CALL CHEMTREC (800) 424-9300 [24 HRS]

### FIRST AID

If in eyes: Hold eye open and rinse gently with water for 15-20 minutes. Remove contact lenses, if present, after 5 minutes and continue rinsing. If on skin: Take off contaminated clothing immediately. Rinse skin with water for 15-20 minutes. If symptoms persist, contact a poison control center or doctor for treatment advice.

### STATEMENT OF TERMS AND CONDITIONS OF SALE, INHERENT RISKS OF USE, WARRANTY DISCLAIMER, AND LIMITATION OF REMEDIES

#### STOP! READ BEFORE USING

Do not buy or use this product unless you have read and understand the entire label, including Terms and Conditions of Sale, Inherent Risks of Use, Warranty Disclaimer, and Limitation of Remedies. Return unopened container at once if terms are unacceptable.

#### TERMS AND CONDITIONS OF SALE

By buying and/or using this product, the Buyer or User accepts the Terms and Conditions of Sale, the Inherent Risks of Use, the Warranty Disclaimer, and the Limitation of Remedies.

#### INHERENT RISKS OF USE

It is impossible to eliminate all risks associated with the use of this product. Failure to use or apply according to label instructions, abnormal environmental conditions, presence of other materials, and other factors may result in lack of product performance, crop injury, and other undesirable consequences. The Buyer or User accepts all such risks.

#### WARRANTY DISCLAIMER

AgXplore International, LLC warrants that this product reasonably conforms to its chemical description on the label and is reasonably fit for the purposes stated on the label, when the product is used according to the Directions for Use and under normal conditions. AgXplore International, LLC makes no other warranty, expressed or implied.

#### LIMITATION OF REMEDIES

To the extent permitted by law, the Buyer's or User's exclusive remedy for any injury, loss, or damage resulting from handling or use of this product shall be limited to one of the following, at the discretion of AgXplore International, LLC: Direct damages not exceeding the purchase price of the product or replacement of the product. AgXplore International, LLC and the seller of this product shall not be liable for consequential, special, or incidental damages or losses, nor damages in the nature of a penalty.

No employee or agent of AgXplore International, LLC, nor any employee or agent of the manufacturer or seller of this product, is authorized to vary or exceed the Terms and Conditions of Sale, Inherent Risks of Use, Warranty Disclaimer, or Limitation of Remedies in any manner, including but not limited to a written or verbal statement.

Information regarding the contents and levels of metals in this product is available on the Internet at <http://www.aapfco.org/metals.html>

MANUFACTURED FOR



©G0821 AgXplore

AgXplore International, LLC  
7035 State Hwy D  
P.O. Box 438  
Parma, MO 63870  
(573) 357-4506  
[agxplore.com](http://agxplore.com)



**WARNING**  
**KEEP OUT OF REACH**  
**OF CHILDREN**

**NET CONTENT**  1 gal [3.79 L]  
 2.5 gal [9.46 L]  
 2 x 2.5 gal [2 x 9.46 L]  
 Bulk \_\_\_\_\_ gal or L  
**NET WEIGHT** 11.18 lb/gal [1.33 Kg/L]  
@68°F [20°C]