

Do not contaminate water, food or feed by storage or disposal. **PESTICIDE STORAGE:** Keep containers tightly closed when not in use. **PESTICIDE DISPOSAL:** Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER HANDLING: Non-refillable container. Do not reuse or refill this container. Triple Rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix

tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two more times. Then offer for recycling if available or puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of

For chemical spill, leak, fire or exposure, call CHEMTREC at 1-800-424-9300.

LIMITED WARRANTY AND DISCLAIMER STATEMENT OF TERMS AND CONDITIONS OF SALE, INHERENT RISKS OF USE, WARRANTY DISCLAIMER, AND LIMITATION OF REMEDIES STOP! READ BEFORE USING

Do not buy or use this product unless you have read and understand the entire label, including Terms and Conditions of Sale, Inherent Risks of Use, Warranty Disclaimer, and Limitation of Remedies. Return unopened container at once if terms are unacceptable.

TERMS AND CONDITIONS OF SALE

By buying and/or using this product, the Buyer or User accepts the Terms and Conditions of Sale, the Inherent Risks of Use, the Warranty Disclaimer, and the Limitation of Remedies.

INHERENT RISKS OF USE It is impossible to eliminate all risks associated with the use of this product. Failure to use or apply according to label instructions, abnormal environmental

conditions, presence of other materials, and other factors may result in lack of

product performance, crop injury, and other undesirable consequences. The Buyer or User accepts all such risks.

WARRANTY DISCLAIMER

AgXplore International, LLC warrants that this product reasonably conforms to its chemical description on the label and is reasonably fit for the purposes stated on the label, when the product is used according to the Directions for Use and under normal conditions. AgXplore International, LLC makes no other warranty, express or imp**l**ied.


LIMITATION OF REMEDIES

To the extent permitted by law, the Buyer's or User's exclusive remedy for any injury, loss, or damage resulting from handling or use of this product shall be limited to one of the following, at the discretion of

AgXplore International, LLC: Direct damages not exceeding the purchase price of the product or replacement of the product. AgXplore International, LLC and the seller of this product shall not be liable for consequential, special, or incidental damages or losses, nor damages in the nature of a penalty.

No employee or agent of AgXplore International, LLC, nor any employee or agent of the manufacturer or seller of this product, is authorized to vary or exceed the Terms and Conditions of Sale, Inherent Risks of Use, Warranty Disclaimer, or Limitation of Remedies in any manner, including but not limited to a written or verbal statement.

Roundup Ready© is a registered trademark of Bayer Group LibertyLink© is a registered trademark of BASF Corporation



PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION. Causes moderate eye irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using toilet.

PERSONAL PROTECTIVE EQUIPMENT (PPE) Applicators and other handlers must wear:

•Long-sleeved shirt and long pants Shoes plus socks

Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

• Users should wash hands before eating, drinking, chewing gum, using tobacco or using

• Users should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

• Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

For Terrestrial Uses: Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when disposing of equipment wash waters or rinsate.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during applications. For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal Theoretice equipment (PPE), notification to workers, and restricted-entry interval. The requirements in this box apply to uses of this product that are covered by the Worker

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. PPE required for early entry to treated areas (that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated,

such as plants, soil, or water), is: coveralls, socks, shoes, chemical resistant gloves.

enhancing photosynthetic activity and stress reduction on the crops. **DIRECTIONS FOR USE** May be applied as in-furrow on corn, cotton, legume vegetables, oil seed crops, and small grains. In-furrow applications may be followed by foliar applications as

For other crops, foliar applications may be made at the timing(s) indicated in the chart below.

PRODUCT INFORMATION

ArchiTech is a plant growth regulator containing fertilizer components for

Always use a jar test of ArchiTech and other products to determine tank mix compatibility prior to application.

APPLICATION RATE

IN-FURROW: (For Corn, Cotton, Legume Vegetables, Oil Seed Crops, and Small Grains only) Apply 1-2 qt (32-64 oz) per acre.

FOLIAR: 1-2 qt (32-64 oz) per acre at growth state listed by crop in the chart

APPLICATION INSTRUCTIONS

Crops/Crop Groups	Application Timing/Method
Corn ^{1,2} (field, pop, sweet)	In-Furrow: Apply 1-2 qt (32-64 oz) per acre Foliar: Apply from V3 to full tassel
Cotton (acala, pima, and short staple varieties)	In-Furrow: Apply 1-2 qt (32-64 oz) per acre Foliar: Apply at pin head square stage

Crops/Crop Groups	Application Timing/Method
Cucurbit vegetables (cucumber, cantaloupe, honeydew, muskmelon, summer squash, and watermelon)	Foliar: Apply just prior to first bloom
Fruiting vegetables (tomato, eggplant, and pepper)	Foliar: Apply just prior to first bloom
Herbs (basil, dill, mustard, and sage)	Foliar: Apply at 2-4 leaf stage
Legume vegetables (succulent and dried) Including beans (all types), peas, and soybeans ^{1,2}	Apply Foliar mid-vegetative to R1
Leafy vegetables (celery, head lettuce, leaf lettuce, and spinach)	Foliar: Apply after transplant recovery or at early vegetative stage (direct seeded)
Non-grass animal feed and hay such as alfalfa, clover, and vetch	Foliar: Apply at 4 inches of new growth
Oil seed crops (canola ^{1,2,} flax, and sunflower)	In-Furrow: Apply 1-2 qt (32-64 oz) per acre Foliar: Apply just prior to first bloom
Peanuts	Foliar: Apply at 2-4 leaf stage
Root vegetables (carrot, ginseng, horseradish, parsley (turnip-rooted, radish, and turnip)	Foliar: Apply from 4-leaf stage to tuber initiation
Small grains (barley, millet, oat, rice, rye, sorghum, and wheat)	In-Furrow: Apply 1-2 qt (32-64 oz) per acre Foliar: Apply at Feekes 3-4 stage
Strawberry	Foliar: Apply after transplant recovery up to first bloom

SHAKE WELL BEFORE USE DO NOT FREEZE

A	RCHÍTECH
	AGRICULTURAL USE ONLY
ACTIVE INGREDIENTS:	By Wt.
OTAL:	
	10-5-5
Total Nitrogen (N)	10-5-5 GUARANTEED ANALYSIS
10.000% Urea Nitrogen	10.000%
Available Phosphate (P2O5)	
Boron (B)	
Copper (Cu)	0.230%
0.230% Chelated Copper	0.110%
0.110% Chelated Manganese	
Molybdenum (Mo)	
0.200% Chelated Zinc	
Derived from Urea, Phosphoric Acid, Potassium EDTA, Sodium Molybdate, Zinc EDTA	Hydroxide, Disodium Octaborate Tetrahydrate, Copper EDTA, Manganese
*Maximum chlorine content 0.75%	
Information regarding the contents and levels of n http://www.aapfco.org/metals.html	netals in this product is available on the Internet at
F3028	
ATTENTION: Contains boron. Use of boron may	result in serious crop injury. Use only on recommended crops.
ATTENTION: Contains molybdenum. The applications containing levels of molybdenum (Mo) with the containing levels of molybdenum.	ntion of fertilizer materials containing molybdenum (Mo) may result in forage nich are toxic to ruminant animals.
MANUFACTURED AND GUARANTEED BY: AgXplore International, LLC 7035 State Hwy D PO Box 638 Parma, MO 63870 (573) 357-4506 • info@agxplore.com	DENSITY 9.89 lb/gal @ 68 °F NET CONTENTS/NET WEIGHT □ 2.5 gal (9.46 L)/24.7 lb (11.2 kg) □ 275 gal (1041 L)/2719.8 lb (1236.3 kg) □ Bulk
KE	EP OUT OF REACH OF CHILDREN
	CAUTION
See next panel for addition	onal Precautionary Statements and Directions for Use FIRST AID
• Hold ove open and ring	
	es lowly and gently with water for 15-20 minutes , if present, after the first 5 minutes, then continue rinsing eye inter or doctor for treatment advice
Have the product container or label with you non-emergency information concerning this pro (NPIC Web site: www.npic.orst.edu). For general the hours of 9 a.m. – 4 p.m. Central Time.	when calling a poison control center or doctor or going for treatment. For duct, call the National Pesticides Information Center (NPIC) at 1-800-858-7378 product information, call AgXplore International at 573-357-4506 between
PA REG. NO. 95775-1	EPA EST. NO. 95775-MO-1
Produced by: AgXplore International, LLC 7035 State Hwy D	
AGXPIORE INTERNATIONAL, LLC	No. Company Co. 1
20 BOX 638	Net Contents: 2.5 gal
Parma, MO 63870 (573) 357-4506 • info@agxplore.com	Batch No.: